
BABY CHANGING STATION, TP BCT8254-1

Installation manual.



BEFORE YOU START

Thank you for purchasing this product. Please read these instructions carefully before installation and keep them for future reference.

WARNINGS

01	Never leave the child unattended.
02	Take care to avoid serious injury from falling or sliding out.
03	Always use the restraint belt.
04	Do not allow children to hang on the unit, in case it falls.
05	For infants only, up to 3 years of age and weighing less than 20kg.
06	For baby care only. Never use the unit as an infant bed.



DO NOT HANG ON THE UNIT

ADDRESS
42 Castro Way, Derrimut VIC 3026

PHONE
(03) 8390 6300

EMAIL
sales@zenmo.com.au

WEBSITE
www.zenmo.com.au


BABY CHANGING STATION, TP BCT8254-1

Features and parts.


PRODUCT FEATURES

01	**Easy to use and hygienic**	The unit is made from antibacterial HDPE, which helps reduce the risk of cross-contamination. A disposable liner or blanket can be placed between the child and the changing table.
02	**Easy to open and close**	The foldable design saves space. Close the table when it is not in use.
03	**Built-in paper holder and hooks**	The paper holder supplies disposable liners. Hooks on both sides hold a nappy bag or handbag.
04	**Safe to use**	An adjustable restraint belt helps keep the baby secure.
05	**Where it can be used**	Hospitals, restaurants, hotels, shopping centres and malls, stations and airports, homes and other public places.

PARTS AND HARDWARE



1 Hooks
2 Mounting holes
3 Paper holder
4 Restraint belt
5 Table
6 Screws
7 Screw caps, up
8 Screw caps, down



ADDRESS
42 Castro Way, Derrimut VIC 3026


PHONE
(03) 8390 6300

EMAIL
sales@zenmo.com.au

WEBSITE
www.zenmo.com.au

BABY CHANGING STATION, TP BCT8254-1

Installation steps.




01 MARK THE FIXING POINTS

Use the fixing template. Mark four fixing points 435mm apart across and 223mm apart vertically. The lower points are approximately 900mm above the floor.

02 DRILL THE HOLES


Drill each hole 10mm in diameter and 80mm deep.

03 FIX THE UNIT



Fix the unit to the wall with the four 100mm screws through the mounting holes.

04 FIT THE SCREW CAPS



Fit the screw caps over the screw heads: the upper caps at the top fixings and the lower caps at the bottom fixings.

ADDRESS
42 Castro Way, Derrimut VIC 3026

PHONE
(03) 8390 6300


EMAIL
sales@zenmo.com.au

WEBSITE
www.zenmo.com.au

BABY CHANGING STATION, TP BCT8254-1

Using the station.

1 Unfold the unit as shown.



2 Take a liner from the paper holder and lay it on the table.

3 Lay the child in the centre of the changing table and clip together the ends of the restraint belt.

4 Put the liner in the bin and fold the table up.



CARE AND CLEANING

Clean with a soft cloth and soapy water. Avoid waxes, solvents, abrasives, acids and other chemical-based cleaners.

The warranty is void if damage is caused by unsuitable cleaning products.

WARRANTY

Warranty terms are set out in the Zenmo warranty information for the baby changing station. Keep your proof of purchase.

For help or to make a claim, email sales@zenmo.com.au.

ADDRESS
42 Castro Way, Derrimut VIC 3026

PHONE
(03) 8390 6300

EMAIL
sales@zenmo.com.au

WEBSITE
www.zenmo.com.au